



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/586,208

07/13/2006

Bernd Siber

10191/4302

2826

26646 7590 11/26/2008

KENYON & KENYON LLP
ONE BROADWAY
NEW YORK, NY 10004

EXAMINER

THOMPSON, BRADLEY E

ART UNIT

PAPER NUMBER

2612

MAIL DATE

DELIVERY MODE

11/26/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/586,208	Applicant(s) SIBER ET AL.	
	Examiner BRADLEY E. THOMPSON	Art Unit 2612	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 July 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☒ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 27-54 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 27-54 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 13 July 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>Jul 13 2006, Nov 14 2007</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This is in response to the application filed on 07/13/2006.

Original claims 1-26 have been cancelled and replaced by 27-54 in preliminary amendment filed July 13, 2006. Therefore, claims 27-54 are pending in the current application for examination.

Drawings

2. The drawings submitted on 07/13/2006 are acknowledged.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. **Claims 27-31, 33, 34** are rejected under 35 U.S.C. 103(a) as being unpatentable over Schneider et al. (US Patent 6,515,589; hereinafter referred to as Schneider) in view of Dolnick (US Patent 4,769,550; hereinafter referred to as Dolnick).

With regard to independent **claim 27**:

Schneider is drawn to a smoke detector based on the scattered-light principle (claim 1). Schneider teaches a detector with an emitter and a receiver whose beams of emission and reception (reads on first radiation emitter-receiver with first beam) form an

Art Unit: 2612

oblique angle and intersect in free space outside the detector body such that the intersection forms a scattering volume (figure 1). As a consequence of being able to sense smoke in free space, Schneider recites a detector that requires no optical labyrinth (Invention Background column 1).

However Schneider fails to teach multiple emitters and multiple receivers. In a similar field of endeavor, Dolnick teaches an optical smoke detector system which has a first emitter-receiver combination and a second emitter-receiver combination (reads on second radiation emitter-receiver with second beam) (figure 1 and Invention Summary column 1). Dolnick further teaches wherein the scattering volumes 6 may be separate, i.e., spatially distinct, for each emitter-receiver combination (reads on scatter volumes spatially separated) (lines 42-44 column 2).

Hence, it would be obvious by one of ordinary skill in the art at the time of the invention to modify Schneider by providing multiple emitter-receiver combinations, as taught by Dolnick, for the purpose of distinguishing smoke from extraneous matter (see Thuillard column 5 lines 13-20).

With regard to **claim 28**:

The smoke detection system of Schneider and Dolnick disclose everything as applied above (see claim 27). In particular, although not explicitly recited in Schneider as being flush with a ceiling, it is fairly suggested since cover plate 3 can be affixed flush to the ceiling and all other components situated in a recess above (figure 1).

With regard to **claim 29**:

The smoke detection system of Schneider and Dolnick disclose everything as applied above (see claim 27). A cover plate 3 is recited in Schneider (lines 57-63 column 3).

With regard to **claim 30**:

The smoke detection system of Schneider and Dolnick disclose everything as applied above (see claim 27). As stated in the analysis of claim 27, Schneider recites no optical labyrinth is required (column 1 lines 11-12) and, as such, the claim 30 is rejected.

With regard to **claim 31**:

The smoke detection system of Schneider and Dolnick disclose everything as applied above (see claim 29). As discussed in the analysis of claim 27, Dolnick teaches scattering regions that are separate from each other which includes, in three-dimensional space, varying distances from the cover plate (column 2 lines 42-43).

With regard to **claim 33**:

The smoke detection system of Schneider and Dolnick disclose everything as applied above (see claim 27). In particular, Schneider and Dolnick both exhibit angles less than 180 degrees between first and second beam paths. (figure 1: Schneider and Dolnick).

With regard to **claim 34**:

The smoke detection system of Schneider and Dolnick disclose everything as applied above (see claim 27). In particular, Schneider and Dolnick both exhibit angles

Art Unit: 2612

less than 180 degrees between first and second beam paths. (figure 1: Schneider and Dolnick).

4. Claim 32, 35-41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schneider and Dolnick further in view of Thuillard et al. (US Patent 5,381,130; hereinafter referred to as Thuillard).

With regard to **claim 32**:

The smoke detection system of Schneider and Dolnick disclose everything as applied above (see claim 29). However, Schneider and Dolnick are silent on a third light emitter-receiver combination.

In an analogous art, Thuillard is directed to an optical smoke detector which can compensate for extraneous matter and thus prevent false alarms. Thuillard teaches that smoke is spatially homogeneous whereas foreign matter or objects are non-homogeneously distributed (column 2 lines 59-65). Thuillard further teaches, based on homogeneity, multiple light emitters and light receivers (reads on third light emitter-receiver and third scatter volume) can be disposed such that the distinction between light scattered by extraneous matter can be made relative to smoke (column 5 lines 13-20). Further still, Thuillard teaches monitoring of any increase in surface reflections due to surface deposits (column 1 lines 65-68) and also recites whereby fields of view of two receivers encompass different surface portions (column 2 lines 11-15) .(reads on third scatter volume includes portion of the surface area of cover plate).

Therefore, it would have been obvious to one of ordinary skill at the time of the invention to modify the apparatus of Schneider and Dolnick, as taught by Thuillard, in order to prevent false alarms due to soiling of detector surfaces (Thuillard column 2 lines 49-56).

With regard to **claim 35**:

The smoke detection system of Schneider, Dolnick and Thuillard disclose everything as applied above (see claim 27). As presented in the analysis of claim 32, Thuillard recites a plurality of emitter-receivers (column 5 lines 13-20) to test the homogeneity of an aerosol. It would be obvious to combine emitter beams with fields of view from different receivers (reads on forms two additional scatter volumes) and get a better read on the distribution of particulates. Hence, forming additional scatter regions is inherently disclosed by Thuillard.

With regard to **claim 36**:

The smoke detection system of Schneider, Dolnick and Thuillard disclose everything as applied above (see claim 35). Thuillard recites scatter regions at varied distance from radiation source (reads on different distance from cover plate) (column 2 lines 5-8). As noted in the analysis of claim 31, Dolnick recites the same.

With regard to **claim 37**:

The smoke detection system of Schneider, Dolnick and Thuillard disclose everything as applied above (see claim 36). In particular, scattering angles which are more acute (reads on smaller scatter angle) are a natural consequence of a scatter

Art Unit: 2612

region separated by a larger distance from the radiation source. Varied distance is taught by Thuillard as noted in claim 36 above.

With regard to **claim 38**:

The smoke detection system of Schneider, Dolnick and Thuillard disclose everything as applied above (see claim 27). Specifically, Dolnick exhibits a holder (figure 1) for accommodating first and second light emitter and receiver.

With regard to **claim 39**:

The smoke detection system of Schneider, Dolnick and Thuillard disclose everything as applied above (see claim 38). Dolnick exhibits a holder (figure 1) for containing light emitters and receivers in recesses at predefined angles.

With regard to **claim 40**:

The smoke detection system of Schneider, Dolnick and Thuillard disclose everything as applied above (see claim 35). In particular, Dolnick teaches an arrangement of light emitters and receivers via the holder such that a small amount of light from a collimated beam (column 3 lines 30-33) is directly received by a photo-detector (reads on window in holder allows direct passage of light) for the purpose of functional test (figure 1). Dolnick further teaches a fiber optic light guide may be used to direct a small amount of light directly to a photo-detector (column 3 lines 34-36).

With regard to **claim 41**:

The smoke detection system of Schneider, Dolnick and Thuillard disclose everything as applied above (see claim 35). In general, it is widely accepted in the art that structural elements, e.g., containment chambers and labyrinths, absorb light so as

Art Unit: 2612

to prevent false alarms (reads on holder material absorbs radiation). In particular, Thuillard recites optical labyrinths in the art that largely absorb incident light (column 1 lines 43-45).

5. Claim 42-54 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schneider, Dolnick and Thuillard and further in view of Politze et al. (US Patent 6,218,950; hereinafter referred to as Politze).

With regard to independent **claim 42**:

The smoke detection system of Schneider, Dolnick, and Thuillard disclose everything as applied above. Although Schneider suggests a method for comparing results from different scatter regions (reads on obtaining scatter values from two different regions in space) (Schneider column 6 lines 14-19), he is silent on processing details. As discussed in claim 32, Thuillard teaches homogeneity as a means for distinguishing smoke from foreign objects (reads on inferring presence of smoke versus foreign body). Comparing scatter regions as a measure of homogeneity is inherent in the disclosure of Thuillard as well.

In an analogous art, Politze is drawn to an optical smoke detector which takes the ratio of scatter readings from forward and backward angles and uses the ratio (reads on comparing scatter values to one another) as a means for determining the presence of smoke as well as inferring the type of smoke (column 2 lines 10-12 lines 16-25 lines 59-61).

Art Unit: 2612

Therefore, it would have been obvious to one of ordinary skill at the time of the invention to modify the methods of Schneider, Dolnick and Thuillard, as taught by Politze, for the purpose of distinguishing smoke from interfering objects which can cause false alarms (Thuillard).

With regard to **claim 43**:

The smoke detection methods of Schneider, Dolnick, Thuillard, and Politze disclose everything as applied above (see claim 42). Specifically, simultaneous activation is fairly suggested by Schneider (column 6 lines 14-19).

With regard to **claim 44**:

The smoke detection methods of Schneider, Dolnick, Thuillard, and Politze disclose everything as applied above (see claim 42). Specifically, sequential measurements are recited by Dolnick (column 1 lines 47-48).

With regard to **claim 45**:

The smoke detection methods of Schneider, Dolnick, Thuillard, and Politze disclose everything as applied above (see claim 42). As explained in the rejection of claim 32, Thuillard teaches monitoring of any increase in surface reflections due to surface deposits (reads on scatter volume includes partial area of surface) (column 1 lines 65-68). Furthermore, producing a threshold for a clean surface (reads are creating an idle signal for a clean surface) is fairly suggested by Thuillard (column 1 lines 65-68 and column 9 lines 46-49).

With regard to **claim 46**:

Art Unit: 2612

The smoke detection methods of Schneider, Dolnick, Thuillard, and Politze disclose everything as applied above (see claim 45). As explained in the rejection of claim 45, Thuillard teaches wherein if a threshold is breached (reads on comparing scatter value taken at later instant with one taken at earlier instant), then soiling of a detector surface can be inferred (column 1 lines 65-68).

With regard to **claim 47**:

The smoke detection methods of Schneider, Dolnick, Thuillard, and Politze disclose everything as applied above (see claim 46). Thuillard teaches adaptive thresholding (reads on limiting value predefinable for second scatter value) whereby smoke can be detected in the presence of surface soil (column 9 lines 46-49) and a trouble signal is generated to indicate cleaning of detector (reads on request for maintenance of fire detector)(column 9 lines 62-64).

With regard to **claim 48**:

The smoke detection methods of Schneider, Dolnick, Thuillard, and Politze disclose everything as applied above (see claim 42). Specifically, Politze teaches a method which accounts for aging (column 5 lines 11-14) and ambient temperature (column 5 lines 18-25) by integrating quiescent values (reads on infer aging of an emitter or changes in ambient temperature when second scatter value falls below threshold).

With regard to **claim 49**:

The smoke detection methods of Schneider, Dolnick, Thuillard, and Politze disclose everything as applied above (see claim 48). As explained in the rejection of

Art Unit: 2612

claim 48, Politze teaches a method whereby age and ambient temperature are compensated for (reads on correction factor). Furthermore, as explained in claim 42, Politze teaches the method for taking the ratio of scatter values (reads on quotient).

With regard to **claim 50**:

The smoke detection methods of Schneider, Dolnick, Thuillard, and Politze disclose everything as applied above (see claim 49). Adjusting the current to a light emitter a compensation technique, as taught by Thuillard, which is widely acknowledged in the art.

With regard to **claim 51**:

The smoke detection methods of Schneider, Dolnick, Thuillard, and Politze disclose everything as applied above (see claim 42). Claim 51 is rejected for the same reasons as presented in claim 31 since the method is as inherent variation of the apparatus in claim 31.

With regard to **claim 52**:

The smoke detection methods of Schneider, Dolnick, Thuillard, and Politze disclose everything as applied above (see claim 42). Politze further teaches a method for determining types of smoke using ratios of scatter values (column 2 lines 6-9). As explained in the rejection of claim 42, Thuillard teaches the method for recognizing objects.

With regard to **claim 53**:

The smoke detection methods of Schneider, Dolnick, Thuillard, and Politze disclose everything as applied above (see claim 42). As explained in the rejection of

Art Unit: 2612

claim 42, Politze teaches the method of calculating ratios (reads on quotients) to compare scatter values

With regard to **claim 54**:

The smoke detection methods of Schneider, Dolnick, Thuillard, and Politze disclose everything as applied above (see claim 42). As explained in the rejection of claim 44, .a method of sequential operation is recited by Dolnick (reads on selective control).

Citation of Pertinent Art

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

US 5,280,272	Jan 18 1994	006 Nagashima et al	Fire Alarm System which Distinguishes between Different Types of Smoke
US 5,898,377	Apr 27 1999	Adachi	Smoke Detecting Apparatus and Method
US 6,914,535	Jul 5 2005	Matsukuma et al.	Light Scattering Type Smoke Detector

Art Unit: 2612

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to BRADLEY E. THOMPSON whose telephone number is (571)270-5583. The examiner can normally be reached on M-F 8 to 5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel Wu can be reached on 571-272-2964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

BRADLEY E THOMPSON
Examiner
Art Unit 2612

BET

/Daniel Wu/
Supervisory Patent Examiner, Art Unit 2612